

References

- Abdul-Kader, S., & Woods, J. (2015). Survey of chatbot design techniques in speech conversation systems. *International Journal of Advanced Computer Science and Applications*, 6(7), 72–80.
- Abrahams, A., Becker, A., Sabido, D., D'Souza, R., George, M., & Kransnodebski, M. (2009). Inducing a marketing strategy for a new pet insurance company using decision trees. *Expert Systems with Applications*, 36, 1914–1923.
- Agarwal, D., & Schorling, C. (1996). Market share forecasting: An empirical comparison of artificial neural networks and multinomial logit model. *Journal of Retailing*, 72(4), 383–407.
- Aggarwal, C., & Zhai, C. X. (2012). A survey of text classification algorithms. In C. Aggarwal & C. X. Zhai (Eds.), *Mining text data* (pp. 163–222). Berlin: Springer.
- Anderson, N. (1970). Functional measurement and psychophysical judgment. *Psychological Review*, 77, 153–170.
- Anderson, N. (1971). Integration theory and attitude change. *Psychological Review*, 78, 177–206.
- Andrews, R., Ansari, A., & Imran, C. (2002). Hierarchical Bayes versus finite mixture conjoint analysis models: A comparison of fit, prediction, and partworth recovery. *Journal of Marketing Research*, 39, 87–98.
- Apampa, O. (2016). Evaluation of classification and ensemble algorithms for bank customer marketing response prediction. *Journal of International Technology and Information Management*, 24(4), 85–100.
- Bagozzi, R. (1994). *Advanced methods of marketing research*. Cambridge, MA: Basil Blackwell Ltd.
- Bahnsen, A. C., Aouada, D., & Ottersten, B. (2015). Example-dependent cost-sensitive decision trees. *Expert Systems with Applications*, 42, 6609–6619.
- Baines, P., Worcester, R., David, J., & Mortimore, R. (2003). Market segmentation and product differentiation in political campaigns. *Journal of Marketing Management*, 19(1–2), 225–249.
- Bajari, P., Nekipelov, D., Ryan, S. P., & Yang, M. (2015). Machine learning methods for demand estimation. *The American Economic Review*, 105(5), 481–485.
- Balakrishnan, P., Cooper, M., Jacob, V., & Lewis, P. (1996). Comparative performance of the FSCL neural net and K-means algorithm for market segmentation. *European Journal of Operational Research*, 93(10), 346–357.
- Bejju, A. (2016). Sales analysis of E-commerce websites using data mining techniques. *International Journal of Computer Applications*, 133(5), 36–40.
- Ben-Hur, A., Horn, D., Siegelmann, H., & Vapnik, V. (2001). Support vector clustering. *Journal of Machine Learning Research*, 2, 125–137.
- Bensic, M., Sarlija, N., & Zekic-Susac, M. (2005). Modeling small-business credit scoring by using logistic regression, neural networks and decision trees. *Intelligent Systems in Accounting, Finance and Management*, 13, 133–150.

- Bishop, C. (1995). *Regularization and complexity control in feed forward networks*. Technical Report NCRG/95/022, University of Aston, Birmingham.
- Blattberg, R., Kim, B.-D., & Neslin, S. (2008). *Database marketing: Analyzing and managing customers*. Berlin: Springer.
- Bloom, J. (2005). Market segmentation - a neural network application. *Annals of Tourism Research*, 32, 93–111. doi:10.1016/j.annals.2004.05.001
- Boone, D., & Roehm, M. (2002). Retail segmentation using artificial neural networks. *International Journal of Research in Marketing*, 19(3), 287–301.
- Boser, B., Guyon, I. M., & Vapnik, V. (1992). A training algorithm for optimal margin classifiers. COLT '92: Proceedings of the fifth annual workshop on Computational learning theory (pp. 144–152). doi:10.1145/130385.130401
- Breiman, L. (2001). Random forests. *Machine Learning*, 45, 5–32.
- Brieman, L., Friedman, J., Ohlsen, R., & Stone, C. (1984). *Classification and regression trees*. New York, NY: Wadsworth.
- Carbonneau, R., Laframboise, K., & Vahidov, R. (2008). Application of machine learning techniques for supply chain demand forecasting. *European Journal of Operational Research*, 184, 1140–1154.
- Casdagli, M. (1989). Nonlinear prediction of chaotic time-series. *Physica*, 35, 335–356.
- Chattopadhyay, M., Dan, P. K., Majumdar, S., & Chakraborty, P. S. (2012). Application of artificial neural network in market segmentation: A review on recent trends. *Management Science Letters*, 2, 425–438. Retrieved from <https://arxiv.org/abs/1202.2445>
- Chau, M., & Chen, H. (2008). A machine learning approach to web page filtering using content and structure analysis. *Decision Support Systems*, 44(2), 482–494.
- Cheung, W., James, K., Law, M., & Tsui, K.-C. (2000). Mining customer preference ratings for product recommendation using the support vector machine and the latent class model. In C. A. Brebbia & N. F. F. Ebecken (Eds.), *Data mining II*. WIT Press. 1-85312-821-X. Retrieved from www.witpress.com
- Cheung, W., James, K., Law, M., & Tsui, K.-C. (2003). Mining customer product ratings for personalized marketing. *Decision Support Systems*, 35, 231–243.
- Chiu, M., & Lin, G. (2004). Collaborative supply chain planning using the artificial neural network approach. *Journal of Manufacturing Technology Management*, 15(8), 787–796.
- Cho, V., & Ngai, E. (2003, July). Data mining for selection of insurance sales agents. *Expert Systems*, 20(3), 123–132.
- Corstjens, M., & Gautschi, D. (1983). Formal choice models in marketing. *Marketing Science*, 2(1), 19–56.
- Cortez, P., Cerdeira, A., Almeida, F., Matos, T., & Reis, J. (2009). Modeling wine preferences by data mining from physicochemical properties. *Decision Support Systems*, 47, 547–553.
- Coussement, K., & Van den Poel, D. (2008). Churn prediction in subscription services: An application of support vector machines while comparing two parameter-selection techniques. *Expert Systems with Applications*, 34, 313–327.
- Coussement, K., Bossche Van den, F., & De Bock, K. (2014). Data accuracy's impact on segmentation performance: Benchmarking RFM analysis, logistic regression, and decision trees. *Journal of Business Research*, 67, 2751–2758.
- Cui, D., & Curry, D. (2005). Prediction in marketing using the support vector machine. *Marketing Science*, 24(4), 595–615.

- Currim, I., Meyer, R., & Le, N. (1988). Disaggregate tree-structured modeling of consumer choice data. *Journal of Marketing Research*, 25(August), 253–265.
- Cybenko, G. (1989). Approximation by superpositions of a sigmoidal function. *Mathematics of Control, Signals and Systems*, 2, 303–314.
- De Caigny, A., Coussemont, K., & De Bock, K. W. (2018). A new hybrid classification algorithm for customer churn prediction based on logistic regression and decision trees. *European Journal of Operational Research*, 269, 760–772.
- Delen, D., Kuzey, C., & Uyar, A. (2013). Measuring firm performance using financial ratios: A decision tree approach. *Expert Systems with Applications*, 40, 3970–3983.
- Dimopoulos, Y., Paul, B., & Sovan, L. (1995). Use of some sensitivity criteria for choosing networks with good generalization ability. *Neural Processing Letters*, 2(6), 1–4.
- Dooley, B. (2017). Why AI with augmented and virtual reality will be the next big thing. Retrieved from <https://upside.tdwi.org/articles/2017/04a/04/ai-with-augmented-and-virtual-reality-next-big-thing.aspx>
- Duchessi, P., & Lauria, E. (2013). Decision tree models for profiling ski resorts' promotional and advertising strategies and the impact on sales. *Expert Systems with Applications*, 40, 5822–5829.
- Evgeniou, T., Boussios, C., & Zacharia, G. (2005). Generalized robust conjoint estimation. *Marketing Science*, 24(3), 415–429.
- Fish, K., Barnes, J., & Aiken, M. (1995). Artificial neural networks: A new methodology for industrial market segmentation. *Industrial Marketing Management*, 24(5), 431–438.
- Frew, J. F., & Wilson, B. (2002). Estimating the connection between location and property value. *Journal of Real Estate Practice and Education*, 5(1), 17–25.
- Friedman, J. (2002). Stochastic gradient boosting. *Computational Statistics and Data Analysis*, 38(4), 367–378.
- Galindo, J., & Tamayo, P. (2000). Credit risk assessment using statistical and machine learning: Basic methodology and risk modelling applications. *Computational Economics*, 15, 107–143.
- Gao, J., Galley, M., & Li, L. (2019). Neural approaches to conversational AI. *Foundations and Trends® in Information Retrieval*, 13(2–3), 127–298. doi: 10.1561/15000000074
- Garg, A., & Tai, K. (2014). An ensemble approach of machine learning in evaluation of mechanical property of the rapid prototyping fabricated prototype. *Applied Mechanics and Materials*, 575, 493–496.
- Garson, G. D. (1991). Interpreting neural network connection weights. *Artificial Intelligence Expert*, 6(4), 46–51.
- Gordini, N., & Veglio, V. (2017). Customers churn prediction and marketing retention strategies. An application of support vector machines based on the AUC parameter-selection technique in B2B e-commerce industry. *Industrial Marketing Management*, 62, 100–107.
- Govidarajan, M. (2013). A hybrid framework using RBF and SVM for direct marketing. *International Journal of Advanced Computer Science and Applications*, 4(4), 121–126.
- Grover, R., & Dillon, W. R. (1985). A probabilistic model for testing hypothesized hierarchical market structures. *Marketing Science*, 4(Fall), 312–335.
- Gruca, T., Klemz, B., & Petersen, E. (1999). Mining sales data using a neural network model of market response. *ACM SIGKDD*, 1(1), 39–43.

- Guido, G., Prete, M. I., Miraglia, S., & De Mare, I. (2011). Targeting direct marketing campaigns by neural networks. *Journal of Marketing Management*, 27(9–10), 992–1006.
- Hastie, T., Tibshirani, R., & Friedman, J. (2009). *Elements of statistical learning*. Springer series in statistics. New York, NY: Springer.
- Haughton, D., & Oulabi, S. (1997). Direct marketing modeling with CART and CHAID. *Journal of Direct Marketing*, 11(4), 42–52.
- Hill, T., O'Connor, M., & Remus, W. (1996). Neural network models for time series forecasts. *Management Science*, 42(7), 1082–1092.
- Hruschka, H., & Natter, M. (1999). Comparing performance of feedforward neural nets and K-means for market segmentation. *European Journal of Operational Research*, 114, 346–353.
- Hruschka, H. (1993). Determining market response functions by neural network modeling: A comparison of econometric techniques. *European Journal of Operational Research*, 66(1), 346–353.
- Huang, Z., Chen, H., Hsu, C.-J., Chen, W.-H., & Wu, S. (2004). Credit rating analysis with support vector machines and neural networks: A market comparative study. *Decision Support Systems*, 37, 543–558.
- Huang, J.-J., Tzeng, G.-H., & Ong, C.-S. (2007). Marketing segmentation using support vector clustering. *Expert Systems with Applications*, 32, 313–317.
- James, G., Witten, D., Hastie, T., & Tibshirani, R., (2013). *An introduction to statistical learning: With applications in R* (1st ed., Springer Texts in Statistics). New York, NY: Springer.
- Joachims, T. (1998). Text categorization with support vector machines: Learning with many relevant features. *Proc. of ECML*, 98, 137–142. Springer-Verlag.
- Johnston, M., & Marshall, G. (2013). *Sales force management* (11th ed.). Abingdon: Routledge.
- Kass, G. (1980). An exploratory technique for investigating large quantities of categorical data. *Journal of the Royal Statistical Society, Series C (Applied Statistics)*, 29(2), 119–127.
- Kim, J. W., Lee, B. H., Shaw, M. J., Chang, H.-Lu, & Nelson, M. (2001). Application of decision-tree induction techniques to personalized advertisements on internet storefronts. *International Journal of Electronic Commerce*, 5(3), 45–62.
- Kim, Y., Street, W. N., Russell, G. J., & Menczer, F. (2005). Customer targeting: A neural network approach guided by genetic algorithm. *Management Science*, 51, 264–276.
- Kim, D., Lee, H.-J., & Cho, S. (2008). Response modeling with support vector regression. *Expert Systems with Applications*, 34, 1102–1108.
- Knott, A., Hayes, A., & Scott, N. (2002). Marketplace: Next-product-to-buy models for cross-selling applications. *Journal of Interactive Marketing*, 16(Summer), 3.
- Krotov, D., & Hopfield, J. J. (2019, April 16). Unsupervised learning by competing hidden units. *Proceedings of the National Academy of Sciences*, 116(16), 7723–7731.
- Krycha, K. A. (1999). Market segmentation and profiling using artificial neural networks. In W. Gaul & H. Locarek-Junge (Eds.), *Classification in the information age*. Studies in classification, data analysis, and knowledge organization. Berlin, Heidelberg: Springer.
- Kumar, D. A., & Ravi, V. (2008). Predicting credit card customer churn in banks using data mining. *International Journal of Data Analysis Techniques and Strategies*, 1(1), 4–28.

- Kumar, A., Rao, V., & Soni, H. (1995). An empirical comparison of neural networks and logistic regression. *Marketing Letters*, 6(4), 251–263.
- Landt, F. W. (1997). *Stock price predictions using neural networks*. Leiden: Leiden University.
- Lawrence, S., Tsoi, A., & Gilles, C. (1996). *Noisy time series prediction using symbolic representation and recurrent neural network grammatical inference*. University of Maryland, College Park, MD: University of Maryland, Institute for Advanced Computer Sciences.
- Lek, S., Beland, A., Dimopoulos, I., Lauga, J., & Moreau, J. (1995). Improved estimation using neural networks, of the food consumption of fish populations. *Marine and Freshwater Research*, 46, 1229–1236.
- Lek, S., Delacoste, M., Baran, P., Dimopoulos, I., Lauga, J., & Aulagnier, S. (1996). Application of neural networks to modelling nonlinear relationships in ecology. *Ecological Modelling*, 90(1), 39–52.
- Lemmens, A., & Croux, C. (2006). Bagging and boosting of classification trees to predict churn. *Journal of Marketing Research*, 42, 276–286.
- Li, N., Wu, D. D. (2010). Using text mining and sentiment analysis for online forums hotspot detection and forecast. *Decision Support Systems*, 48, 354–368.
- Lin, W., Wu, Z., Lin, L., Wen, A., & Lin, L. (2017). An ensemble random forest algorithm for insurance big data analysis. *IEEE Access*, 5, 16568–16575.
- Linder, R., Geier, J., & Kolliker, M. (2004). Artificial neural networks, classification trees and regression: Which methods for which customer base? *Database Marketing and Customer Strategy Management*, 11(4), 344–356.
- Magidson, J. (1988). New statistical techniques in direct marketing: Progression beyond regression. *Journal of Direct Marketing*, 2(4), 6–18.
- Magidson, J. (1989). *CHAID, logit, and log-linear modeling*. *Marketing Research Systems*, Report 11-130, 101–114.
- Mahajan, V., & Jain, A. (1978). An approach to normative segmentation. *Journal of Marketing Research*, 15, 338–345.
- Makridakis, S., Anderson, A., Carbone, R., Fildes, R., Hibon, M., Lewandowski, R., ... Winkler, R. (1982). The accuracy of extrapolation (time series) methods: Results of a forecasting competition. *Journal of Forecasting*, 1, 111–153.
- Martínez-Ruiz, M. P., Molla-Descals, A., Gomez-Borja, M., & Rojo-Alvarez, J. (2006). Assessing the impact of temporary retail price discounts intervals using SVM semiparametric regression. *International Review of Retail, Distribution and Consumer Research*, 16(2), 181–197.
- Martínez-Ruiz, M. P., Gomez-Borja, M. A., Molla-Descals, A., & Rojo-Alvarez, J. L. (2008). Using support vector semiparametric regression to estimate the effects of pricing on brand substitution. *International Journal of Marketing Research*, 50(4), 555–557.
- McCulloch, W., & Pitts, W. (1943). A logical calculus of the ideas immanent in nervous activity. *Bulletin of Mathematical Biophysics*, 5, 115–133.
- Messenger, R., & Mandell, L. (1972). A modal search technique for predictable nominal scale multivariate analysis. *Journal of the American Statistical Association*, 67(340), 768–772.
- Mizuno, M., Saji, A., Sumita, U., & Suzuki, H. (2008). Optimal threshold analysis of segmentation methods for identifying target customers. *European Journal of Operational Research*, 186, 358–379.

- Morgan, J., & Sonquist, J. (1963). Problems in the analysis of survey data, and a proposal. *Journal of the American Statistical Association*, 58, 415–434.
- Mukherjee, S., Osuna, E., & Girosi, F. (1997). Nonlinear prediction of chaotic time series using support vector machines. *Neural Networks for Signal Processing [1997] VII. Proceedings of the 1997 IEEE Workshop*. Added to IEEE Explore in 06 August 2002. doi:[10.1109/NNSP.1997.622433](https://doi.org/10.1109/NNSP.1997.622433)
- Neslin, S., Gupta, S., Kamakura, W., Lu, J., & Mason, C. (2006, May). Defection detection: Measuring and understanding the predictive accuracy of customer churn models. *Journal of Marketing Research*, 43(2), 204–211.
- Netzer, O., Feldman, R., Goldenberg, J., & Fresko, M. (2012). Mine your own business: Market-structure surveillance through text mining. *Marketing Science*, 31(3), 521–543.
- Olden, J. D., & Jackson, D. A. (2002). Illuminating the “black box”: A randomization approach for understanding variable contributions in artificial neural networks. *Ecological Modelling*, 154(1–2), 135–150.
- Özesmi, S. L., & Özesmi, U. (1999). An artificial neural network approach to spatial habitat modelling with interspecific interaction. *Ecological Modelling*, 116(1), 15–31.
- Potharst, R., Kaymak, U., & Pijl, W. (2001). *Neural networks for target selection in direct marketing*. ERIM Report Series Research in Management, ERS-2001-14-LIS. Retrieved from <https://www.igi-global.com/chapter/neural-networks-business/27261>
- Razmochaeva, N., & Klionsky, D. (2019). Data presentation and application of machine learning methods for automating retail sales management processes. *IEEE Explore*. doi:[10.1109/EIConRus.2019.8657077](https://doi.org/10.1109/EIConRus.2019.8657077)
- Rokach, L., Naamani, L., & Shmilovici, A. (2008). Pessimistic cost-sensitive active learning of decision tree for profit maximizing targeting campaigns. *Data Mining and Knowledge Discovery*, 17, 283–316.
- Sapankevych, N., & Sankar, R. (2009). Time series prediction using support vector machines. *IEEE Computational Intelligence Magazine*, 4(2), 24–38.
- Sheu, J.-J., Su, Y.-H., & Chu, Ko-T. (2009). Segmenting online game customers - the perspective of experiential marketing. *Expert Systems with Applications*, 36, 8487–8495.
- Shih, J.-Y., Chen, W.-H., & Chang, Y.-J. (2014). Developing target marketing models for personal loans. *IEEE*. 978-1-4799-6410-9.
- Shin, H.J., & Cho, S. (2006). Response modeling with support vector machines. *Expert Systems with Applications*, 30, 746–760.
- Sun, A., Lim, E.-P., & Liu, Y. (2009). On strategies for imbalanced text classification using SVM: A comparative study. *Decision Support Systems*, 48, 191–201.
- Sustrova, T. (2016). An artificial neural network model for a wholesale company's order-cycle management. *International Journal of Engineering Business Management*. doi:[10.5772/63727](https://doi.org/10.5772/63727)
- Syam, N., & Sharma, A. (2018). Waiting for a sales renaissance in the fourth industrial revolution: Machine learning and artificial intelligence in sales research and practice. *Industrial Marketing Management*, 69, 135–146.
- Thieme, J., Song, M., & Calantone, R. (2000). Artificial neural network decision support systems for new product development project selection. *Journal of Marketing Research*, 37(4), 499–507.

- Thiesing, F. M., & Vornberger, O. (1997). Sales forecasting using neural networks. *Proceedings of International Conference on Neural Networks (ICNN'97)*, Houston, TX, USA (Vol. 4; pp. 2125–2128). doi:10.1109/ICNN.1997.614234
- Thomassey, S., & Fiordaliso, A. (2006). A hybrid sales forecasting system based on clustering and decision trees. *Decision Support Systems*, 42, 408–421.
- Thompson, W., Li, H., & Bolen, A. Artificial intelligence, machine learning, deep learning and beyond: Understanding AI technologies and how they lead to smart applications. Retrieved from https://www.sas.com/en_us/insights/articles/big-data/artificial-intelligence-machine-learning-deep-learning-and-beyond.html
- Thrasher, R. (1991). Cart: A recent advance in tree-structured list segmentation methodology. *Journal of Direct Marketing*, 5(1), 35–47.
- Tirenni, G., Kaiser, C., & Herrmann, A. (2007). Applying decision trees for value-based customer relations management: Predicting airline customers' future values. *Database Marketing & Customer Strategy Management*, 14(2), 130–142.
- Tirunillai, S., & Tellis, G. (2014). Mining marketing meaning from online chatter: Strategic brand analysis of big data using Latent Dirichlet allocation. *Journal of Marketing Research*, 51, 463–479.
- Toubia, O., Hauser, J. R., & Simester, D. I. (2004). Polyhedral methods for adaptive choice-based conjoint analysis. *Journal of Marketing Research*, 41, 116–131.
- Urban, G. L., Johnson, P. L., & Hauser, J. R. (1984). Testing competitive market structures. *Marketing Science*, 3(Spring), 83–112.
- van der Putten, P., & van Someren, M. (2000). CoIL challenge 2000: The insurance company case. Published by Sentient Machine Research, Amsterdam. Also, a Leiden Institute of Advanced Computer Science Technical Report 2000-09. June 22, 2000. Retrieved from <http://liacs.leidenuniv.nl/~puttenpwhvander/tic.html>
- Van Heerde, H. J., Leeflang, P. S. H., & Wittink, D. R. (2001). Semiparametric analysis to estimate the deal effect curve. *Journal of Marketing Research*, 38(May), 197–215.
- Vapnik, V. N. (1989). *Statistical learning theory*. New York: Wiley-Interscience. ISBN 978-0-471-03003-4.
- Verbeke, W., Dejaeger, K., Martens, D., Hur, J., & Baesens, B. (2012). New insights into churn prediction in the telecommunication sector: A profit driven data mining approach. *European Journal of Operational Research*, 218, 211–229.
- West, P., Brockett, P., & Golden, L. (1997). A comparative analysis of neural networks and statistical methods for predicting consumer choice. *Marketing Science*, 16(4), 370–391.
- Xie, Y., Li, X., Ngai, E. W. T., & Yin, W. (2009). Customer churn prediction using improved balanced random forests. *Expert Systems with Applications*, 36, 5445–5454.
- Yao, J., Teng, N., Poh, T., & Tan, C. (1998). Forecasting and analysis of marketing data using neural networks. *Journal of Information Science and Engineering*, 14(4), 843–862.
- Zahavi, J., & Levin, N. (1997). Applying neural computing to target marketing. *Journal of Direct Marketing*, 11(1), 5–22.
- Zhang, Y., Dang, Y., Chen, H., Thurmond, M., & Larson, C. (2009). Automatic online news monitoring and classification for syndromic surveillance. *Decision Support Systems*, 47(4), 508–517.
- Zhang, P. (2004). *Neural networks in business forecasting*. Hershey, PA: IRM Press.