

Index

- Acceptance and Commitment Therapy, 7
- ACORN, 164
 - ACORN-generated research, 127
 - collaboration, 118, 125–127
 - database, 128
 - platform, 125
 - questionnaires, 126
 - system, 170
 - Toolkit, 125
- Acquisition of skills, 22
- Adults, 77
- Affirmative psychotherapy, 103
- ALERT system, 122
- Alliance bond capacity, 139
- Alliance process, 149
- Alliance rupture–repair, 43–44
 - impact of alliance rupture–repair on outcome, 44–45
 - impact of alliance rupture–repair training on outcome, 45–46
 - responsiveness, 139
- American Psychological Association (APA), 6, 16
- Anger, 41
- Antidepressant medication, 5
- Anxiety, 21, 138
- Assessment, 21
- Attachment style, 92–94
- Attitudes, 107
- Behavioural healthcare
 - ACORN-generated research, 127
 - client data better predictor of outcome than clinician, 124–125
 - clinical information systems, 121–122
 - emerging technologies for delivering behavioural healthcare, 128–129
 - measurement 2.0 and ACORN collaboration, 125–127
 - measurement and feedback to improve outcomes, 124
 - revolution in models of understanding, 119–121
 - turn of century Zeitgeist, 119
 - variance, 122
- Behavioural therapies, 92
- Brigham Young University (BYU), 124
- Carl Rogers’s person-centred therapy (Carl Rogers’s PCT), 72
- Case conceptualization, 21
- Center for Clinical Informatics, 118
- Century Zeitgeist, turn of, 119
- Change processes, 86
- Chemotherapy, 5
- Children, 77
- Class, 103
- Clients, 87–89, 140
 - attachment style, 92–94
 - impact of client preference on outcomes, 95–96
 - client preferences, 94–95
 - coping style, 91
 - data better predictor of outcome than clinician, 124–125
 - feedback, 40
 - preferences, 94–95
 - psychotherapy outcomes, 148
 - reactance level, 89–90
 - stages of change, 86–88
- Clinical evidence-based tools, 21
- Clinical expertise, 21, 162

- Clinical information systems, 118, 121–122
- Clinical range, 120
- Clinical utility, 19
- Clinician, client data better predictor of outcome than, 124–125
- Cogent rationale for clinical strategies, 23
- Cognitive behavioural therapy (CBT), 5
- Cognitive practitioners, 64
- Cognitive therapies, 92
- Collaboration, 40–41, 126
 - impact of goal consensus and collaboration on outcomes, 41
- Colour-blind attitudes, 107
- Common factors
 - client/life factors, 31
 - common factor models, 29–30
 - contextual common factors, 32–33
 - impact of contextual common factors, 33–34
 - feedback effects, 31
 - model/technique general effects, 31–32
 - model/technique specific effects, 31
 - support for Dodo Verdict, 28–29
 - therapeutic alliance, 31
 - therapist effects, 32
- Conceptual scheme, 54
- Congruence, 78
 - impact of congruence on outcomes, 78–79
- Constructs, 55
- Consultation process, 139
- Contextual common factors, 32–33
 - impact of, 33–34
- Contextual model, 32
- Continual self-reflection, 22
- Cooper Norcross Inventory of Preferences, 162
- Coping style, 91
 - impact of coping style on outcomes, 91–92
- Corporate funding, 121
- Counselling, 5, 147
 - components, 16
- Counter-conditioning process, 87
- COVID-19 pandemic, 128
- CT management, 66
 - impact of CT on outcomes, 67–68
- Cultural adaptations, 102
 - gender, 103–104
 - LGBTQ+, 103
 - religion/Spirituality, 102–103
 - research, 102
- Cultural comfort, 107, 109
- Cultural humility, 105, 107–108, 168
- Cultural identity, 100
 - aspects of, 107
- Cultural matching, 95
- Cultural opportunity, 107, 109
- Cultural responsiveness, 100
- Culture, 23
- Culture blindness, 107
- Curiosity, cultivating attitude of, 153
- Deliberate practice (DP), 138–142, 169–173
 - comments, 171–173
 - using data to support, 151–153
 - direct DP efforts, 142
 - framework, 173
 - individual therapist effects, 137–138
 - research, 138
 - therapist training, 136–137
- Demographics, 95
- Depression, 21
- Dialectal Behaviour Therapy, 7
- Disorders, 28
- Diverse methods of Psychotherapy, 28
- Diversity, 100, 103
- Dodo Bird Verdict, 28
- Dodo Verdict, support for, 28–29
- Dramatic relief, 87
- Effect size, 120
- Emotional expression, 62–63
 - impact of emotional expression on outcomes, 63–64

- Emotional processing, 62
- Emotional support, 62
- Emotionality, 62
- Empathy, 72–73, 139
 - impact of empathy on outcomes, 74–75
 - five levels of, 74
 - levels of, 73–74
- Empirically supported treatments, 7–10
 - areas of concern and some solutions, 11
 - emerging research, 4–5
 - road to, 6–7
 - specific ingredients, 5–6
- Equivalence, 29
- Evidence based therapies, 9
- Evidence-based guidelines, 16
 - best available research evidence, 16–20
 - client characteristics, culture, and preferences, 23–24
 - clinical expertise, 20–23
 - guidelines from APA, 17
 - types of research used to establish effectiveness of psychological therapies, 18
- Evidence-based medicine, 6–7
- Evidence-based practice (EBP), 6 (*see also* Deliberate practice (DP))
 - evidence-based guidelines, 16–24
- Evidence-based relationships, 109
 - factors, 72
 - variable, 74
- Externalisers, 91
- Eye movement and desensitisation reprocessing (EMDR), 29
- Family, 77
- Feasibility of intervention, 20
- Feedback
 - data in supervision, 149–150
 - effects, 31
 - feedback-informed care, 46–47, 110
 - feedback/routine monitoring, 31
 - to improve outcomes, 124–125
 - to improve supervision, 153–154
- Feedback-informed treatment (FIT), 46, 124, 170
- Food and Drug Administration, 120
- Gender, 95, 103–104
- Goals consensus, 40–41
 - impact of goal consensus and collaboration on outcomes, 41
- Group therapy, 77
- Healthcare system, 118
- Heart bypass surgery, 5
- Hierarchical linear modelling, 123
- Hostilities, 41
- Humility, 108
 - cultivating attitude of, 153
- Im, 64–65
 - impact on outcomes, 65–66
- Individual practitioner, 123
- Individual therapist effects, 137–138
- Information technology
 - ACORN-generated research, 127
 - client data better predictor of outcome than clinician, 124–125
 - clinical information systems, 121–122
 - emerging technologies for delivering behavioural healthcare, 128–129
 - measurement 2.0 and ACORN collaboration, 125–127
 - measurement and feedback to improve outcomes, 124
 - revolution in models of understanding, 119–121
 - turn of century Zeitgeist, 119
 - variance, 122
- Internalisers, 91
- Interpersonal Expertise, 22
- Interpersonal skills, 22
- Intersectionality, 104, 107
 - clinical example, 105

- Introversion–extroversion, 91
Item torture test, 125
- Knowledge base for supervisor, 150–151
- Learn to Live, 129
Learning, 152
Leeds Alliance in Supervision Scale (LASS), 154
LGBTQ+, 103
Likert scale, 125
- MCC approach, 101
MCC Knowledge Skills and Attitude (MCC KSA), 107
Measurement 2.0, 125–127
Measurement to improve outcomes, 124–125
Medications, 123–124
Medicine, 42, 72
Mental health professions, 147
Meta-analysis, 4–5, 44, 63
 of drug company-sponsored trials, 120
 of expectancy–outcomes correlation, 55
Microaggression, 104, 106–107
 clinical example, 106–107
Mindfulness, 129
Model/technique general effects, 31–32
Model/technique specific effects, 31
More knowledgeable other (MKO), 140, 150
Multicultural alliance rupture–repair, 109–111
Multicultural competency, 100–101
 clinical example, 101
Multicultural identities, 100
Multicultural orientation (MCO), 105, 107–109
 Framework, 108
Multicultural responsiveness
 cultural adaptations, 102–104
 cultural adaptations research, 102
 intersectionality, 104–105
 microaggression, 106–107
 multicultural alliance rupture–repair, 109–111
 multicultural competency, 100–101
 multicultural orientation, 107–109
- National Institute for Health and Care Excellence (NICE), 9
National Institute of Mental Health, 123
Neuroscience, 72
Nursing, 42
- Off track clients, 124
Original CBT, 5
Outcome expectancy, 54–55
 impact of oe on therapy outcomes, 55–56
Outcome Questionnaire-45 (OQ-45), 162
Outcomes management systems, 124
Outcomes Measurement 2.0, 125
Outcomes-informed care (OIC), 124
- PacifiCare Health Systems, 122
Patients treatment expectations, 55
Perceptions of treatment, 55
Person-centred therapy, 73
Post-traumatic stress disorder, 29
Practitioners, 22, 109, 119, 140, 173
 credibility, 55
 humility, 153
 outcomes, 124
 subvariables, 123
 variables, 123
Primary emotions, 62
Process variables, 30
Psychiatry, 42
Psychoanalytic therapy, 73
Psychological ‘disorders’, 21
Psychology, 147
Psychotherapy, 4, 15, 22, 104
 components, 16
 counselling and, 16
 methods, 66, 119
 training, 136

- Questionnaires, 122, 126
- Race, 103
- Racial microaggressions, 110
- RCT, 4
- Reactance level, 89–90
 - impact of reactance on outcomes, 90–91
- Real relationship, 79–80
 - impact of real relationship on outcomes, 80–81
- Rehabilitation, 42
- Religion/Spirituality, 102–103
- Revolution in models of
 - understanding, 119–121
- Routine feedback process, 124
- Routine measurement process, 124
- Routine outcome monitoring (ROM), 46, 124
- Rumination-focussed CBT, 5
- Rupture, 43
 - rupture–repair strategies, 44
 - rupture–repair training, 44
- Schools, 119
- Secondary emotions, 62
- Self-disclosure, 64
- Self-re-evaluation, 87
- Severity adjusted effect size (SAES), 120, 127
- Sexual orientation, 103
- Simulated psychotherapy case
 - study for 21st century practitioner and supervisor
 - comments, 161–169
 - DP framework, 173
 - initial assessment, 160
 - supervision and DP, 169–173
- Skillset for supervisor, 150–151
- Social work, 42
- Specifically targeted post-training therapist skills, 139
- Stages of change, 86–88
 - impact of stages of change on outcomes, 88–89
- State-of-the-art clinical information system, 121
- Stimulus control, 88
- Storm clouds, 119
- Supervision, 169–171
 - comments, 171–173
 - cultivating attitude of humility, curiosity, and search for improvement, 153
 - using data to support DP, 151–153
 - using feedback data in, 149–150
 - using feedback to improve, 153–154
 - skillset and knowledge base for supervisor, 150–151
 - impact of supervision on outcomes, 148–149
- Supervisor, skillset and knowledge base for, 150–151
- Symptom reduction, 149
- Task Force, 7
- Teammates, 129
- Telemedicine, 128
- Therapeutic alliance, 31, 42, 126
 - impact of alliance on outcomes, 42–43
- Therapeutic approaches, 73
- Therapist
 - effects, 32
 - multicultural competency, 102
 - training, 136–137
- Therapist effects (TE), 138
 - TE–OE correlation, 57
- Therapy (*see also* Psychotherapy)
 - preferences, 55
 - process, 40, 93
- Trans-theoretical methods, 28
- Trauma, 29
- Trauma-focussed cognitive behavioural therapy (TF-CBT), 29
- Treatment credibility, 56
 - impact of TE on outcome, 56–57
- Treatment motivation, 55

- Treatment planning, 21
- Treatment rationale, 56
- Treatment retention, 149
- Tripartite model, 100
- TSD, 64–65
 - impact on outcomes, 65–66
- Unconditional positive regard, 75–76
 - impact of unconditional positive regard on outcomes, 76–77
- Unhappiness, 41
- United Health Care, 122
- Utility of intervention, 20
- Variance, 122
 - individual practitioner, 123
 - medications, 123–124
- Withdrawal ruptures, 44
- Working alliance, 149