

INDEX

- Abortion, 92
 - analysis, 96
 - fetal anomaly in pregnancy, 114
 - fetal health issue, 93, 96–103
 - identifying personal and familial values, 103–108
 - mourning practices & disclosure, 108–114
 - post-abortion processing, 116
 - sample characteristics, 96
 - third-trimester, 94
- Amyotrophic lateral sclerosis (ALS), 20
 - children of parent with, 28
 - discourses on illness and death, 26–27
 - experiences and difficulties during pandemic, 27–28
 - family management of, 21–22
 - feedback on psychological intervention, 24–25
 - learning and change after intervention, 25–26
 - peers in same situation, 28
 - psychological intervention, 29
 - qualitative study, 22–24
 - thematic area, 31
 - transformative learning, 29, 30
- Archival research, 68
- Atlas. ti [qualitative analysis software], 21
- Attention deficit hyperactivity disorder (ADHD), 139, 140
- Awareness of dying, 66
- “Baobab project”, 22
- BEACON protocol, 66–67
- Bereaved families, 122
- Bereavement, 122
 - bereaved individuals, 123
 - emotional support in, 129, 136–137
 - health care professionals, 130
 - methods, 125
 - parentally bereaved families, 125
 - participant responses, 126
 - participants, 125
 - particularly unhelpful following loss, 132–135
 - peer support, 130
 - practical support, 129, 131–132, 137
 - qualitative survey results, 127–128
 - social networks, 124
 - social support in, 123, 124
 - support groups, 140
 - thematic analysis, 126
 - thematic analysis, 128, 135–143
- Best Practices for End-of-life Care and Comfort Care Order Sets for our Nation’s Veterans (BEACON), 66
- C-reactive protein (CRP), 4
- Caregiver morbidity, 5
- Child development, 53–54
- Child loss, 160–161
- Children
 - development knowledge, 53–54
 - exposure to death, 39, 48–49
 - and grief, 138
 - knowledge on, 138–139
 - loss, 160–161
 - parents’ awareness and knowledge of child development, 49–50
 - particularly vulnerable groups of, 139–140
- Chorionic villus sampling (CVS), 97
- Communication and awareness of dying, 66

- Couples
 - bereaved, 161, 163
 - EOL plans, 85
- COVID-19 Pandemic, 86–87
 - family management of ALS during, 21–22
 - family-centered care during, 86
- Cross-lagged panel analysis, 154, 158–159
- Cultural values, 50–52
- Data analysis, 43–44
- Data collection, 43
- “Death Literacy”, 44
- Death with young children
 - children’s exposure, 39, 48–49
 - cultural and personal values, 50–52, 54
 - current study, 41
 - data analysis, 43–44
 - data collection, 43
 - death, 38
 - experiences of deaths in family, 53
 - implications for practitioners, researchers, and parents, 56–57
 - knowledge of child development, 53–54
 - limitations and caveats, 55–56
 - parents’ approaches, 45
 - parents’ awareness and knowledge of child, 49–50
 - parents’ death literacy, 47–48
 - participants, 42–43
 - positionality statement, 44–45
 - “protecting” children, 52–53
 - resources for, 60
 - socialization strategies, 39–40
 - sociocultural context, 40–41
 - tipping point model, 46–47
 - tipping points in young children, 54–55
- Death/dying, 65
 - access to dying person, 66
 - communication and awareness of, 66
 - in family, 26–27
 - medicalization of, 82
- Diagnostic and Statistical Manual of Mental Disorders, fifth edition (DSM 5), 152
- Diagnostic and Statistical Manual of Mental Disorders, fifth edition, text revision (DSM 5-TR), 152
- Dignified death, 72
- Discussing death, 38–39
 - socialization strategies in, 39–40
 - sociocultural context in, 40–41
- Durkheim and suicide, 171–173
- Dyadic latent growth curve model, 153–154, 156–157
- Emotional support, 136–137
 - in bereavement, 129
- End-of-life (EOL), 64
 - care, 66
- Ethic of heroism (EOH), 71
- Familial value, identifying, 103–108
- Family
 - family-centered care, 21
 - and grief, 65–66
 - management of ALS during, 21–22
- Feedback on psychological intervention, 24–25
- Fetal abnormality, 93
- Fetal anomaly, 93, 95
 - in pregnancy, 114
- Fetal health issue, learning of, 96–103
- Fetal magnetic resonance imaging (fMRI), 98
- General practitioner (GP), 127
- General practitioner role, 142–143
- “Good Death”, 65
- Grief, 150
 - bereaved parents, 152
 - child loss, 160–161
 - clinical implications, 164
 - cross-lagged effects, 163
 - cross-lagged panel analysis, 154, 158–159
 - descriptive statistics and correlations, 154–155

- growth curve analysis, 153–154, 155–158
 - homogeneity in, 161–162
 - of parents, 151
 - participants and procedure, 153
 - post-hoc analyses, 160
 - post-hoc analysis 154
 - statistical analysis strategy, 153
 - strengths and limitations, 163–164
- Grief trajectory, 151, 161
- Growth curve analysis, 153–154, 155–158
- Happiness, 5, 8
 - chronic disease and, 6
 - complexity, 14
 - general feelings of, 13
 - levels, 5–6, 9
 - on Likert scale, 7
 - measure, 7
 - relationship between inflammation and, 10
 - with relationships, 7
- Health care professionals, 130
- Illness in family, 26–27
- Inadequate support, 138
- Individual therapeutic intervention, 123
- Inflammation, 4
 - chronic, 7–8
 - sensitivity analyses, 9
- International Classification of Diseases 11th Revision (ICD-11), 152
- Intimate relationships, 4
 - inflammation and QoL, 9–12
 - negative effect on QoL, 12
 - non-significant improvements, 14
 - postulated relationship, 13
- Later abortion, 94
- Learning of fetal health issue, 96–103
- Logistic regression, 8
- MAXQDA software, 174
- Meaning making process, 65
- Medical uncertainty, 92
- Medicalization of dying, 82
- Minors
 - ALS impact on, 20, 28
 - pandemic to, 22
 - supporting families in difficulties with, 22
- Miscarriage, 92
- Mourning practices & disclosure, 108–114
- Mourning process, 65
- Narrative of honorable life, 71
- Narrative theme, 69–74
- National Institute of Mental Health, 170
- National Social Life, Health, and Aging Project (NSHAP), 6
 - sample population from, 8
- Neonatal intensive care unit (NICU), 105
- NVivo software, 126
- Palliative care, 84
- Parental grief, 161–162
- Parental loss in childhood, 122
- Parenting
 - capacities, 123
 - cultural norms of, 40
 - gating parenting practices, 54
 - NPR, 60
- Parents
 - approaches, 45
 - awareness and knowledge of child development, 49–50
 - death literacy, 47–48
 - tipping point model of, 46
- Participants, 6–7
- Peer support, 130
- Personal values, 50–52
 - identifying, 103–108
- Positionality statement, 44–45
- Post-hoc analysis, 154, 160
- Post-traumatic stress disorder (PTSD), 122
- Practical support, 137
 - in bereavement, 129
 - types, 132

- Psychological intervention, feedback on, 24–25
- Public Health System, disappointment with, 134–135
- Public sector, 141
- Qualitative analysis, 21
- Qualitative arm of BEACON Study, 67
- Qualitative study, 22–24
- Quality of life (QoL), 4
inflammation and, 9–12
negative effect on, 12
sensitivity analyses, 9
- “Self-stigmatization”, 171
- Social interaction, 21
- Social relationships, 6, 9
characteristics regressed on
 C-reactive protein, 10
conceptualization affected by
 suicide, 179–181
limitations on, 21
restrictions on, 27
- Social support in Bereavement, 123, 124
- Socialization strategies in discussing death, 39–40
- Sociocultural context in discussing death, 40–41
- Spatial theme, 74–79
- Spousal loss, 137
- Suicide, 170
bereavement, 170
conceptualization, 174–179
conceptualizing relationships with loved ones, 181–182
data and methods, 173–174
Durkheim and, 171–173
future work and implications, 183–186
limitations, 183
social relationships
 conceptualization, 179–181
suicide-bereaved individuals, 182
- Temporal theme, 79–82
- Thematic analysis, 23–24
- Theory of suicide, 172–173
- “Threatened Good Death”, 65
- Tipping point model, 46–47
in young children, 54–55
- Transformative learning, 29
- Transparency, experienced lack of, 141
- Traumatic Grief Inventory Self Report Plus (TGI-SR+), 164
- United States (US), 92
- Untimely spousal loss, 137
- Veterans, 64
- Veterans Affairs Medical Centers (VAMCs), 64
access to dying person, 66
analysis of qualitative articles, 68–69
analytic process, 69
BEACON protocol, 66–67
context of COVID-19, 86–87
death, dying and good death, 65
families and grief, 65–66
implications, 84–85
limitations, 85–86
medicalization of dying, 82
military and total institution, 64–65
narrative theme, 69–74
next-of-kins, 83
qualitative arm of BEACON Study, 67
spatial theme, 74–79
temporal theme, 79–82
- Work–life Balance, 131–132
- World Health Organization, 21, 152
- Young children
children’s exposure, 39, 48–49
cultural and personal values, 50–52, 54
current study, 41
data analysis, 43–44

- data collection, 43
- death with, 38, 60
- experiences of deaths in family, 53
- implications for practitioners,
 researchers, and parents,
 56–57
- knowledge of child development,
 53–54
- limitations and caveats, 55–56
- parents' approaches, 45
- parents' awareness and knowledge
 of child, 49–50
- parents' death literacy, 47–48
- participants, 42–43
- positionality statement, 44–45
- “protecting” children, 52–53
- socialization strategies, 39–40
- sociocultural context, 40–41
- tipping point model, 46–47
- tipping points in, 54–55