

INDEX

- Agricultural income, 8
Alert of water level, 14, 16, 54–55, 99, 104–107
ANN. *See* Artificial Neural Network
Application software, 16
ArcGIS, 66
ARFIMA. *See* Autoregressive fractional integrated moving average
Artificial Neural Network (ANN), 104–105
ASCE. *See* The American Society of Civil Engineers
Autoregressive fractional integrated moving average (ARFIMA), 122, 128
- Back Propagation Neural Network (BPN), 105
Bah Kuning, 63
BDI. *See* Beck Depression Inventory
Beck Depression Inventory (BDI), 22
Beeping buzzer, 148
Bootstrapping (BCa) technique, 40–41
Boundary range granite, 54
BPN. *See* Back Propagation Neural Network
Brownian bridge, 126
Bukit Kepong monitoring station, 118
- CDMA. *See* Code Division Multiple Access
Cluster validation, 139
Clustering algorithm, 134–135, 138
Code division multiple access (CDMA), 106
Cold-formed steel beam, 74–75
- Community empowerment approach, 9, 10, 22, 34
Composite beam, 74–75
Composite slab, 73–74
Conceptual database design, 65
Concrete cube test, 76
Conjugate CN, 40
Cophenetic Correlation Coefficient (CPCC), 139
CPCC. *See* Cophenetic Correlation Coefficient
Cube test, 75
Cumulative Sum Control Chart (CUSUM), 123
Curve Number (CN) system, 38
- Dam break event, 17
Dam Safety Decision Support System (DSS), 14
Dam safety emergency, 14
Danum Valley Field Centre (DVFC), 52
Data Generating Process (DGP), 129
Database design, 65
Database, 65
DDMRC. *See* District Disaster Management and Relief Committee
Deforestation, 50
Dendrogrammatic dissimilarity, 139
Department of Agriculture, 7
Department of Irrigation and Drainage (DID), 14, 104
Department of Meteorology, Malaysia, 126
Depression scores, 25
Descriptive analysis of rainfall, 127

- Detrended fluctuation analysis
(DFA), 124
- Device management improvement, 114
- DFA. *See* Detrended fluctuation analysis
- DFA. *See* Discriminant Function Analysis
- DFT. *See* Discrete Fourier Transform
- Diagnostic & Statistical Manual of Mental Disorder, 22
- DID National Flood Monitoring Centre server, 104
- DID. *See* Department of Irrigation and Drainage
- Disaster management, 64–65
- Discharge data, 135–137
- Discrete Fourier Transform (DFT), 135, 139
- Discriminant Function Analysis (DFA), 51
- Dissimilarity measure, 137–139
- District Disaster Management and Relief Committee (DDMRC), 98
- Domains of empowerment, 25
- DRW. *See* Dynamic time warping
- DSS. *See* Dam Safety Decision Support System
- DTW. *See* Dynamic Time Warping Algorithm
- DVFC. *See* Danum Valley Field Centre
- Dynamic time warping (DRW), 134, 136, 139, 172
- East Coast flood, 19
- EKF. *See* Extended Kalman Filter
- Emergency Response Plan (ERP), 13–14, 98
- Environmental forensics, 49
case studies, 52–55
experimental design, 51
laboratory procedures, 51
sediment fingerprinting, 51–52
un-mixing model, 52
XRF and FTIR analysis, 51
- ERP. *See* Emergency Response Plan
- Euclidean dissimilarity measure, 136–137
- Euclidean distance, 138
- Evacuation centres, 65–67
- Extended Kalman Filter (EKF), 105
- Extrusive rocks, 54
- Fabrication of composite slab, 75
- Face-to-face interviews, 3
- Federal Territory of Kuala Lumpur (KL), 81
- Flash floods, 80–87
- Floating structures, 71–78
- Flood monitoring model, 107
- Flood disaster, 2, 11, 92–93, 97–100, 104, 106
adaptation and mitigation strategies, 2–3
awareness and empowerment, 10
economic losses, 8–9
flood mitigation and adaptation, 10–11
flood warning, 97
impact of, 98–100
insurance policy, 97
loss and damage, 7–8
Pahang River Basin, 3
preparedness, 97
prevention measures, 9
quantitative and qualitative techniques, 3
resilience, 9–10
results and discussion, 4–11
socio-economic status of residents, 4–7
study area, 2
- Flood modelling, 66
- Flood monitoring system, 114, 118
enhancement of future work, 120
human factors, 92
natural factors, 92
type of equipment, 116–118

- Flood, 64
 community and health-related issues, 21–22
 community empowerment, 22
 health access and impact, 24
 long-term effects, 21, 33
 mapping and assessing floods, 64
 results and discussion, 23–34
 short-term effects, 21
 socio-economic status of respondents, 23
 study area, 22
 study population, 22
- Flooding, 2
- Floor raising, 9
- Fluctuation analysis, 125
- Fluvial landforms, 54
- Fourier frequency, 123
- Galas River, 54
- Geographic Information System (GIS), 64
- Geomorphic units, 54
- Geospatial techniques, 64
- GIS. *See* Geographical Information System
- Granitic rocks, 54
- Harvesting premature crops, 9
- Health-related issues, 19
- HEC-GeoRAS extension, 66
- Helicopter, 66–68
- Helipads, 65, 68
- Hierarchical clustering algorithms, 135, 138
- Hierarchical data structure, 139
- Household members (HM), 19
- Hydro Tasmania (HT), 16
- Hydroelectric Scheme, 14
- Hydrological-related studies, 50
- Hydrologists, 38, 124
- IBS. *See* Industrialised Building System
- ICRE. *See* Individual Community Related Empowerment
- Individual Community Related Empowerment (ICRE), 22–23
- Indo-Australian Monsoon System, 52
- Industrialised Building System (IBS), 74
- Input Variable Selection (IVS)
 method, 106
- INSPIRE Dam Safety DSS, 16
- INSPIRE. *See* Interactive Dam Safety Decision Support System
- INSPIRE Modules for ERP SAB Dam, 14–16
 brainstorming, 16
 communication module, 16–17
 dam personnel task and responsibility, 17
 documentation module, 17
 ERP formulation, SAB Dam, 16
 failure model analysis, 16
- Interactive Dam Safety Decision Support System (INSPIRE), 13–14
- International Disaster Database (2013), 64
- IVS. *See* Input Variable Selection method
- Jalan Duta (Jalan Tuanku Abdul Halim), 83
- Jalan Pudu, 83
- Jalan Tun Razak, 83
- Johor River basin, 134–135
- Kelantan daily rainfall dataset, 122–130
- Kelantan River Basin, 53–55, 57, 65–66
- Kinabatangan River system, 52
- Klang River, 82
- Klang Valley, 82
- Kruskal-Wallis H test, 51
- Kuala Kangsar, Perak, 106–107, 109, 111

- Kuala Lumpur, 82
 Kuantan, 1–2, 19–21
- Lebir River, 53–54, 57
 LED notation
 Light gauge steel, 74
 Lightweight composite slab, 74–77
 Logical database design, 65
 Log-periodogram regression
 estimate, 123
 Long memory testing, 122
- MADA. *See* Muda Agricultural
 Development Authority
- Main range granite, 54
- Malaysia, 2, 8, 14, 20, 33, 39, 46, 50,
 52–55, 64–65, 74, 82–83, 92,
 97–98, 104, 106, 114, 122,
 134–135
 2007 floods, 20
 Bah Kuning, 63
 floods, 64
 Kelantan River basin, 65–66, 122
 Kuala Kangsar, 103–112
 Kuala Lumpur, 79–90
 monsoon seasons, 134
 Pahang River Basin, 1–12
 two pilot research projects, 50
- Malaysia Drainage and Irrigation
 Department, 135
- MANOVA. *See* Multi-variate
 Analysis of Variance
- Mean Square Error (MSE), 41
 Means network data transmission, 115
 Melana watershed, 42–44
 Melana, 37
 Ministry of Agricultural and Agro-
 Based Industry, 7
 Mobile SCADA, 118
 Monsoon period, 135
 Muda Agricultural Development
 Authority (MADA), 14
 Multiple environment indications
 Multi-variate Analysis of Variance
 (MANOVA), 51
- NARX model, 107–109
 NARX. *See* Network Autoregressive
 Model with Exogenous Input
- Nash-Sutcliffe index (NS), 41–42
 National Security Council (NSC), 54,
 91–92
- Natural disaster, 20, 64
 Natural hazard, 64
 Network analysis, 66
 Network Autoregressive Model with
 Exogenous Input (NARX),
 105
- Non-agricultural income, 8
 Non-time-based clustering method,
 135
- Northeast monsoon, 134
 NSC. *See* National Security Council
- Null hypothesis, 40, 42
- OLS-based CUSUM Test, 126
 One-way clustering approach, 135
 Ordinary Least Squares (OLSs)
 residuals, 126
- Pahang River Basin, 1, 19
 Pahang, 2, 22
 Parameter estimation, 128
 Parking vehicles, 9
 Pekan, 1–2, 19–21
 Peninsular Malaysia, 20
 Periodogram method, 124–125
 Physical database design, 65
 PLI. *See* Poverty Line Income, 8
 Post-traumatic stress disorder
 (PTSD), 21, 33
- Poverty Line Income (PLI), 8
 Predictive model BIAS, 41
 Pre-processing analysis, 122
 PTSD. *See* Post-Traumatic Stress
 Disorder
- Quality of Life (QOL), 21–22
 QOL depression, 19
 QOL domains, 25

- Radar rain rate, 105
- Rainfall sensors, 104
- Rainfall-Runoff (P-Q) dataset, 38–40
- Rainfall-runoff model, 37
- Regional specific curve numbers (CN), 37
- Rescaled range (R/S) method, 124
- Residual Sum of Squares (RSS), 37, 41
- Respondents (R), 19
- Respondents demographic profile, 94–97
- River discharge pattern, 134
- River flood, 2
- Road network, 67–68
- Roofing system, 75
- Runoff model's assessment, 41

- SAB dam. *See* Sultan Abu Bakar dam
- Safeguarding household properties, 9
- SCADA system installation, 114
- SCS rainfall-runoff model, 37–39
- SCS-CN model, 39
- SCS-CN runoff prediction model, 39
- Sediment fingerprinting, 51, 57
- Sediment samples, 55
- Sedimentary/metasedimentary rocks, 54
- Sediment-related studies, 50
- Segama River system, 52, 55
- Self-perceived health symptoms, 19
- Semi-guided questionnaires, 19
- Short memory testing, 122
- Short Messaging System (SMS), 104
- Simulation process, 66
- Site suitability analysis, 66
- Slump test, 75
- SMART. *See* Stormwater Management and Road Tunnel
- SMS. *See* Short Messaging System
- Socio-economic questionnaire, 3
- Soil Conservation Services (SCS), 37–38
- Soil Conservation Services, Curve Number (SCS-CN) method, 38
- Southwest monsoon, 134
- SPSS. *See* Statistical Package for Social Science
- SRS. *See* Subscriber Radio Systems
- Statistical Package for Social Science (SPSS), 3
- Statistical Package for Social Science (SPSS), 94
- Stormwater Management and Road Tunnel (SMART), 80
- Structural breaks, 122
- Subscriber Radio Systems (SRS), 106
- Sultan Abu Bakar (SAB) dam, 13–14
- Sungai Pahang Basin, 92–93, 98, 100
- Sungai Perak Hydroelectric Scheme, 14

- Telemetry device
 - human-machine interface (HMI), 114–115
 - master terminal unit (MTU), 114–115
 - remote terminal unit (RTU), 114–115
- Temerloh, 1–2, 19–21, 91, 93, 95, 97–100
- Terengganu, 2, 92
- The American Society of Civil Engineers (ASCE), 104
- Theil's U2 value, 41–42
- Thorlakson, 9
- Time-based clustering method, 135–137
- TNB Hydro Schemes, 14
- Training programmes on disaster management, 10
- Transportation modes, 64
- Trauma Screening Questionnaire (TSQ), 22
- TSQ. *See* Trauma Screening Questionnaire

- Unconsolidated sediments, 54
Urik River, 55
US Department of Agriculture
(USDA), 37–38
- Variance* proportion measures, 41
Volcanic rocks. *See* Extrusive rocks
Vulnerability, 2
- Water level sensors, 104
Water transportation, 100
WHO. *See* World Health
Organization
- WHOQOLBREF. *See* World Health
Organization-Quality of
Life Bref
Wi-Fi coverage, 118
Wilcoxon t-test, 98
World Health Organization (WHO),
22
World Health Organization-Quality
of Life Bref
(WHOQOLBREF),
22–23
- Yellow floods. *See* Bah Kuning