

Building an initial understanding of UK Recovery College dementia courses: a national survey of Recovery College and memory services staff

Emma Wolverson, Leanne Hague, Juniper West, Bonnie Teague, Christopher Fox, Linda Birt, Ruth Mills, Tom Rhodes, Kathryn Sams and Esme Moniz-Cook

(Information about the authors can be found at the end of this article.)

Abstract

Purpose – *Recovery Colleges were developed to support the recovery of people with mental health difficulties through courses co-produced by professionals and people with lived experience. This study aims to examine the use of Recovery Colleges to support people with dementia.*

Design/methodology/approach – *A survey was circulated to UK Recovery College and memory service staff, exploring provision, delivery and attendance of dementia courses. Open responses provided insight into participant views about recovery in post-diagnostic support and the practicalities of running dementia courses.*

Findings – *A total of 51 Recovery College staff and 210 memory service staff completed the survey. Twelve Recovery College dementia courses were identified across the UK. Three categories emerged from the qualitative data: post-diagnostic support, recovery in the context of dementia, challenges and areas of innovation.*

Originality/value – *This study highlights the benefits and practicalities of running Recovery College courses with people with dementia. Peer-to-peer learning was seen as valuable in post-diagnostic support but opinions were divided about the term recovery in dementia.*

Keywords *Dementia, Post-diagnostic support, Recovery College, Memory services, Co-production, Peer support*

Paper type *Research paper*

Introduction

A Recovery College provides educational courses that aim to support the personal recovery of people living with mental health difficulties. There are many definitions of “recovery” in mental illness, but for the purpose of this paper, “recovery” refers to managing symptoms whilst living a meaningful life (Perkins *et al.*, 2012). Recovery Colleges emerged in America in 2000, and now exist in over 20 countries (including Canada, Hong Kong, Israel, Italy, Japan, the Netherlands and Sri Lanka) and an international community of practice has been established to promote knowledge exchange (Whittlely *et al.*, 2019).

Recovery Colleges have an ethos of empowerment and inclusivity (Whish *et al.*, 2022) realised through co-production and co-facilitation, with experts by experience collaborating with health-care professionals to co-produce and co-deliver courses (Whittlely *et al.*, 2019). Recognising that the consequences of an illness such as discrimination (Anthony, 1993) may be more detrimental than the illness itself, courses cover a range of topics to support people through the recovery journey, including self-management, employment advice and understanding and exploring identity.

© Emma Wolverson, Leanne Hague, Juniper West, Bonnie Teague, Christopher Fox, Linda Birt, Ruth Mills, Tom Rhodes, Kathryn Sams and Esme Moniz-Cook. Published by Emerald Publishing Limited. This article is published under the Creative Commons Attribution (CC BY 4.0) licence. Anyone may reproduce, distribute, translate and create derivative works of this article (for both commercial and non-commercial purposes), subject to full attribution to the original publication and authors. The full terms of this licence may be seen at <http://creativecommons.org/licenses/by/4.0/legalcode>

UK Recovery Colleges are typically embedded within the National Health Service (NHS), with some run by voluntary organisations. They have been shown to have a positive long-term impact for individuals experiencing mental health difficulties (Thompson *et al.*, 2021), where attendance is associated with improved quality of life, self-management skills and goal achievement (Thériault *et al.*, 2020). Ongoing research examines how Recovery Colleges can benefit people who use mental health services (Recovery Colleges Characterisation and Testing programme) (Henderson *et al.*, 2020), as currently little is known about who benefits from them and why. Some groups, including people with dementia, appear to be under-represented in Recovery Colleges (Bowness *et al.*, 2022). A scoping survey of UK Recovery Colleges (2019) found that 11 (39.3%) of the 28 that responded offered dementia courses (Lowen *et al.*, 2019).

A recovery-based approach could enable people to live a meaningful life alongside dementia (Gavan, 2011). A key definition of recovery within mental health aligns closely with definitions of living “well” with dementia (Department of Health, 2009) and calls to focus on strengths rather than deficits (Wolverson *et al.*, 2016). The importance of education to support living positively with dementia is well recognised (Van Horik *et al.*, 2022), as is the value of peer support as highlighted in the UK’s national dementia strategy “Living Well with Dementia” (Department of Health, 2009).

Recovery Colleges could potentially drive culture change within mental health services by challenging power dynamics between clinician and patient (Hopkins *et al.*, 2022) and increasing inclusivity and equitability, which is urgently needed within post-diagnostic services provided to people with dementia. According to people with dementia and their families, post-diagnostic support does not meet their needs and access to support can be difficult depending on where people live, resulting in inequalities (Frost *et al.*, 2021; Robinson and Arblaster, 2020) and feelings of abandonment by the health system (Kelly and Innes, 2014). This has been further impacted by the COVID-19 pandemic, with people left to self-manage due to reduced health-care service provision (Giebel *et al.*, 2021). Recovery Colleges, therefore, could provide an innovative and empowering approach to post-diagnostic support for people with dementia and their families while bridging a critical gap in health-care provision. However, there is little known about current provision to support dementia within the Recovery College model.

To address this knowledge gap, we undertook a national survey examining the views and experiences of individual Recovery College and memory service staff regarding recovery-led approaches for people with dementia. We aimed to establish how many UK Recovery Colleges offer dementia courses and specifically we sought to understand:

- How have dementia courses been designed and delivered?
- Who has attended dementia courses?
- How has COVID-19 impacted course provision?
- What do professionals understand by the term “recovery” in the context of dementia?

This work was the first step of a research project called DiSCOVERY (NIHR131676, 2022–2024), which aims to provide guidance for co-producing, implementing, delivering and evaluating Recovery College dementia courses.

Method

A multi-site, cross-sectional and mixed-methods questionnaire study was conducted with UK Recovery Colleges and memory services from April to June 2022.

The survey was created using SurveyMonkey® (Momentive Inc., 2022) and contained 74 questions, across six sections exploring the development and provision of dementia courses in Recovery Colleges and memory services, the practicalities of co-production and the impact of COVID-19 (see Supplementary file). Following demographic questions, participants were asked different questions depending on whether they identified as predominately working in a

Recovery College or memory service. Recovery College staff were asked about their links with NHS memory services and their understanding of the term “recovery” in dementia. Memory service staff were asked whether signposting to Recovery College dementia courses was part of routine clinical practice, whether the term “recovery” was used in relation to dementia and if staff were co-producing dementia courses in their local Recovery College. The survey comprising multiple-choice questions and open-response items. It was based on a previous scoping survey (Lowen *et al.*, 2019) and created by the research team who are from a range of professions including psychology, psychiatry and nursing. The draft survey was shared with four memory clinic clinicians and two Recovery College staff for piloting to ensure questions were answerable, coherent and specific. Following adjustments in response to feedback, the survey was reviewed by the wider research team. The final survey was user-tested by members of the research team to ensure functionality.

Recruitment

A short film introducing the study was co-produced by the study staff and patient and public involvement group members. This, alongside the survey invitation, was emailed to 41 NHS mental health trusts. Contact details for Recovery Colleges were found through hand-searching organisational websites. Targeted distribution included the Royal College of Psychiatrists Memory Services National Accreditation Programme, Implementing Recovery through Organisational Change networks, the Faculty for the Psychology of Older People and Facebook Psychology groups and Occupational Therapy networks. The survey was advertised on social media platforms including Facebook and Twitter and the DiSCOVERY webpage.

All staff working in a Recovery College or memory service were eligible to participate, including those organisations that did not have a dementia course, and multiple responses from each site were allowed. Mental health trusts without a Recovery College or memory service were not eligible. Four NHS trusts declined to participate as it was not relevant to them and two stated they do not have a Recovery College.

The recruitment target was 70 responses based on a response rate of 50% from all UK Recovery Colleges and mental health trusts.

Data analysis

Descriptive statistics and tables were used to summarise quantitative data. Qualitative content analysis was used to analyse the open responses (Bengtsson, 2016). Open responses underwent repeated reading by two researchers. Key points were identified and initial codes were generated and then sorted into potential themes which were discussed and reviewed to ensure they were distinguishable and relevant to the research question. Responses provided contextual understanding to the quantitative data.

Ethics

The study was approved by the West Midlands – Coventry and Warwickshire Research Ethics Committee (22/WM/0021) on 9/3/2022 and the Health Research Authority on 16/3/2022.

Results

Response rates

The survey recorded 261 completed responses. From this, 51 were from staff who identified as predominantly working in Recovery Colleges, 210 were from memory services and 38 responses were incomplete. An incomplete response was defined as any response without an organisation name or if it was unknown whether the respondent worked for a Recovery

College or memory service. [Table 1](#) shows the number of responses received from each UK region including the number of Recovery College dementia courses identified.

Recovery College support for people with dementia

Responses related to current, historic and future dementia courses are shown in [Table 2](#). There were 12 current courses relating to dementia support across the UK which were identified in the survey. Fourteen (6.7%) memory service respondents reported routinely guiding people to Recovery College dementia courses for post-diagnostic support, 124 (59%) stated they did not and 19 (9%) had recommended non-dementia-specific courses. It should be noted that multiple responses could represent the same service.

Course delivery

Five (26.3%) of the 19 Recovery College respondents that stated they currently or previously ran a dementia course reported their course was co-produced with people with dementia, compared to three (13%) memory service responses. [Table 3](#) shows by whom courses were delivered.

Table 1 Number of responses from UK regions

Region	Total responses (%)	No. of trusts from each region (Number of current dementia courses)	No. of Recovery College staff (%)	No. of memory service staff (%)
East Midlands	35 (13.41)	4 (1)	6 (2.30)	29 (11.11)
East of England	55 (21.07)	4 (2)	9 (3.45)	46 (17.62)
London	73 (27.97)	9 (1)	14 (5.36)	59 (22.61)
North East of England	1 (0.38)	1	0 (0.00)	1 (0.38)
North West of England	5 (1.92)	3 (1)	3 (1.15)	2 (0.77)
Northern Ireland	1 (0.38)	1	0 (0.00)	1 (0.38)
Scotland	1 (0.38)	1	1 (0.38)	0 (0.00)
South East of England	17 (6.51)	8 (1)	5 (1.92)	12 (4.60)
South West of England	18 (6.90)	4	3 (1.15)	15 (5.75)
Unknown	1 (0.38)	1	1 (0.38)	0 (0.00)
Wales	5 (1.92)	3	1 (0.38)	4 (1.53)
West Midlands	3 (1.15)	3 (2)	2 (0.77)	1 (0.38)
Yorkshire and the Humber	46 (17.62)	5 (4)	6 (2.30)	40 (15.33)

Source: Table by authors

Table 2 Provision of dementia courses

Survey question	Recovery College responses (%)	Memory service responses (%)
Does your [service] currently run/facilitate courses about dementia?	Yes: 12 (23.5) No: 24 (47.1) Do not know: 1 (2)	Yes: 14 (6.7) No: 98 (46.7) Do not know: 66 (31.4)
Has your [service] historically run/facilitated courses about dementia?	Yes: 7 (13.7) No: 13 (25.5) Do not know: 3 (5.9)	Yes: 19 (9) No: 74 (35.2) Do not know: 70 (33.3)
Does your [service] plan to start running courses about dementia in the future?	Yes: 4 (7.8) No: 2 (3.9) Do not know: 10 (19.6)	Yes: 11 (5.2) No: 38 (18.1) Do not know: 93 (44.3)

Notes: Not all respondents answered this question. Percentages are based on the number of Recovery College ($n = 51$) and memory service ($n = 210$) staff that responded to the survey

Source: Table by authors

Who attends Recovery College dementia courses?

Recovery College respondents provided demographic information/estimates about attendees of their dementia courses, which are displayed in [Table 4](#).

Impact of COVID-19

Of those that responded to questions about the impact of COVID-19, three (25%) said their dementia courses stopped running. Three Recovery Colleges attempted to adapt to difficulties brought on by lockdown restrictions by moving online.

Qualitative results

Content analysis derived three categories and six sub-categories from the data ([Table 5](#)).

Post-diagnostic support

This theme encompasses the value of post-diagnostic support and the importance of co-production.

Value of post-diagnostic support

All respondents valued post-diagnostic support for people with dementia and their families. Memory services often had their own bespoke support:

Table 3 Course delivery		
<i>Who was the course delivered by?</i>	<i>Recovery College responses (%)</i>	<i>Memory service responses (%)</i>
People with dementia	3 (25.0)	3 (13)
Family or friend supporters	4 (33.3)	3 (13)
Staff	11 (91.7)	5 (21.7)

Notes: Respondents could provide multiple responses. Percentages are based on the number of Recovery Colleges ($n = 12$) and memory services ($n = 14$) offering/facilitating dementia courses
Source: Table by authors

Table 4 Demographic characteristics of Recovery College dementia course attendees	
	%
<i>Age range</i>	
18–35	1.4
36–55	17.3
56–65	35.1
66–75	31.9
76+	22.0
<i>Sex and gender identity</i>	
Men	33.4
Women	66.0
<i>Ethnicity</i>	
Asian/Asian British	14.7
Black/Black British	0.29
White British	79.3
White Non-British	2.9
Mixed/other	1.4

Source: Table by authors

Table 5 Categories and sub-categories derived from qualitative responses

<i>Post-diagnostic support</i>	<i>Recovery in the context of dementia</i>	<i>Challenges and areas of innovation</i>
The value of post-diagnostic support Importance of co-production	The language of recovery	Awareness of recovery-orientated services Difficulties in running courses Challenges of COVID-19

Source: Table by authors

We provide in house “Understanding Dementia” courses and have a post-diagnostic clinic. – Memory service participant #043.

We have a Carers Support group and are exploring a Living Well with Dementia intervention. – Memory service participant #177.

Recovery colleges that developed dementia support recognised an unmet need following diagnosis:

We recognised that our older adults services did not have coproduced education available for their service user and carer group. – Recovery College participant #025.

The courses were started to ensure support, including peer support and choice was given to both those people living with dementia and those supporting them. – Recovery College participant #014.

All respondents viewed “education” as central to post-diagnostic support. Ensuring people understand dementia and learn practical approaches to manage was seen as essential to living well with dementia:

Also to provide education to [people with dementia] and their carers regarding maintaining a safe home environment and understanding about their condition. – Recovery College participant #024.

Importance of co-production

The best practice in delivering education was including people with dementia as experts by experience. Recovery Colleges and memory services with dementia courses recognised that co-production was essential to their success:

Person living with dementia is absolutely key to this course and I don't think it would be valid without her. – Recovery College participant #002.

This is the most essential part of the course – they provide first-hand experience of positive role models of people living well with dementia. Their experience and voice is far more powerful than what clinicians are able to bring as they live and breathe it with first hand lived experience. – Memory service participant #073.

Recovery in the context of dementia

Whilst agreeing on the value of post-diagnostic support particularly when co-delivered alongside people with dementia, the notion of dementia “recovery” resulted in strongly divided opinion. For some, the idea of recovery echoed their understanding of living well and related to having a “life worth living”. Key to recovery was maintaining independence and autonomy, a sense of self and social support, living well “despite”, “regardless” and “within limits” of dementia:

Supporting people to take control of their lives and live a meaningful, safe quality of life. – Recovery College participant #024

It's about supporting people to keep their identity and a sense of self – living with dementia without it defining them. – Recovery College participant #027

In contrast, some participants expressed that the word “recovery” did not apply to dementia, given its progressive nature and the lack of a cure:

There is a fundamental problem with the term “recovery” with respect to dementia, not least that living well with dementia is a lot about acceptance of and adjustment to the fact that you are not going to “recover” in the commonly accepted sense. – Memory service participant #099

“Recovery” is a challenging concept to apply to dementia, given it is degenerative in nature. – Recovery College participant #025

Some memory service participants expressed concerns that the term recovery could engender false hope in dementia, specifically, due to the lack of current cure for the condition:

It is a rather unusual word recovery, when discussing dementia as there is no cure or recovery involved. The word recovery could give our clients false hope. – Memory Service participant #105

Challenges and areas of innovation

This category includes reasons courses have stopped, difficulties with staffing and partnership working.

Awareness of recovery-orientated services

Despite Recovery Colleges offering a range of courses that may be useful for people with dementia, some memory service respondents had never heard of Recovery Colleges:

I've been running our memory clinics services since 2005 and have never heard of Recovery College” – Memory service participant #063.

Other memory service participants were unaware that Recovery Colleges could offer support to people with dementia:

I was not aware this was available. Recovery college has seemed to be primarily aimed at working age adults. – Memory service participant #010.

I'm ashamed to admit that, as a clinician working in memory services for 6 years, I was unaware that the recovery college applied to those with dementia. – Memory service participant #059

However, many respondents expressed interest in finding out more:

It would be good to link up with the Recovery College as it has not been so much on our radar. It is a valuable resource. – Memory service participant #136.

Participants raised concerns about support for people with dementia being offered outside older people's services:

We do not run dementia courses as they are best run by the specialist older people's teams. We do however support specialist teams to coproduce recovery college style courses that they can then run. – Recovery College participant #009.

Difficulties in running courses

Respondents who offered recovery courses in dementia described practical difficulties in maintaining the courses:

We haven't run it for some time due to the nature of dementia meaning people involved in coproducing or delivering the workshops were no longer available due to changes in their wellbeing. – Recovery College participant #025.

It was frequently highlighted that the relationship and integration between Recovery Colleges and memory services could be improved:

Don't think we have any connection with the memory service. – Recovery College participant #040.

It would mean a culture shift in management to start engaging with recovery college. – Memory service participant #127.

Services also shared examples of innovation and joint working. One memory service was “in the process of recording podcasts for people with dementia to be available within the Recovery College” (Memory service participant #016).

Challenges of COVID-19

The COVID-19 pandemic was a significant difficulty in continuing to deliver Recovery College dementia courses. Some colleges suspended courses and one respondent said that co-production had *stopped altogether* (Recovery College participant #027).

Some courses continued running online; however, this meant the benefits of face-to-face contact were lost:

Personable feel you get from a face to face session was lost due to lockdowns. – Recovery College participant #004.

Online delivery limited who could attend due to aspects of digital exclusion in people living with dementia:

It prevented people who are not computer literate from receiving group support. – Recovery College participant #014.

It was suggested that “the people attending the virtual workshops are possibly more affluent” (Recovery College participant #014), thus “risks excluding some people who have no or limited access to technology”. (Recovery College participant #002)

Several respondents identified benefits of online courses including allowing individuals to attend from their homes, removing the difficulties of travelling:

People from a wider geographical area can now potentially register as no travel to venue involved. – Recovery College participant #002.

Positive was the move online as it helped more people access the course who couldn't travel due to long distances or disability. – Recovery College participant #004.

Discussion

This study highlights the divisiveness of the term recovery in the context of dementia. For some, the idea of recovery fits well with understandings of living well with dementia and advocacy and empowerment approaches. However, others felt the term recovery in the context of dementia could engender false hope, reflecting previous research suggesting the word “recovery” may offer an unrealistic impression of a cure for dementia (Adams, 2010). It highlights the power of words and the need for consideration of the terminology used in the context of dementia (Swaffer, 2014).

Twelve UK Recovery College dementia courses were located. According to survey respondents, more women than men attend Recovery College dementia courses, reflecting the 2:1 ratio of women to men diagnosed with dementia (Mielke, 2018). Consistent with the age relationship with dementia, Recovery College attendees are reported to be older than the general population, with two-thirds aged 56–75 years. Respondents reported that nearly 80% of attendees were White British, under 15% from Asian ethnic groups and few from Black/Black

British ethnicities. Some courses may be specifically attracting people of Asian ethnic origin, but not those from Black ethnic groups for whom the incidence of dementia is thought to be higher (Pham *et al.*, 2018). These differences may reflect the service user or community profiles of the specific respondent organisations offering dementia courses or may suggest there are potential barriers to access for individuals from Black ethnic groups. These dynamics will need to be investigated further as the number of people from ethnic minority backgrounds living with dementia is estimated to increase sevenfold by 2060 (Tsamakis *et al.*, 2021).

Bespoke dementia courses were based around the “living well” agenda and covered topics such as adjustment, managing symptoms and how to live well. These courses aimed to help people understand more about dementia, develop coping skills and meet others with similar experiences. The co-production of the courses with people with dementia was viewed as a strength. These findings resonate with a recent qualitative case study exploring the experiences of people with dementia who undertook a Recovery College dementia course, where co-production and peer-to-peer learning emerged as important aspects of the support received (West *et al.*, 2022). Co-production activities promoted “breaking down the ‘them and us’ barriers common in traditional health-care professional-service user relationships”. Having a person with dementia co-facilitating the course provided attendees with positive role models that bring relatability and a genuine understanding of living with dementia. Current clinical offers of post-diagnostic dementia support risk contributing to Prescribed Disengagement™ (Swaffer, 2015; Low *et al.*, 2018). Threats to personhood and autonomy can occur where support is professional-led, delivered “to” rather than “with” people with dementia.

These findings revealed exciting innovations in Recovery College provision for people with dementia including the co-production of podcasts and the move to a blended or online approach. Online delivery was seen as having some benefits related to improved accessibility but could exclude those who are less computer literate or lack the resources needed to participate, highlighting socio-economic barriers in accessing courses during the pandemic. Further work is needed to explore what works for whom and when.

There were Recovery College dementia courses that stopped during the COVID-19 pandemic and some had not restarted. People with dementia and their families have been disproportionately affected by COVID-19 (Daley *et al.*, 2022), with many reporting increased loneliness and increased psychological distress (Alzheimer's Society, 2020). Post-diagnostic support is more important than ever to reduce isolation, particularly for people who received their diagnosis remotely with reduced access to subsequent support. With various NHS trusts looking to review and restart services, this would seem a key time to consider a Recovery College approach.

This is perhaps particularly timely given Recovery College is an example of integrated working between mental health services, patient advocates and the voluntary sector, aligning with the NHS drive to integrate services to tackle inequalities in outcomes, experience and access (NHS, 2022). People with dementia often fall between the cracks in services and feel they have been left to manage their difficulties alone (Arblaster and Brennan, 2022). A significant proportion of memory service respondents were unaware of Recovery Colleges running in their organisation or even that such services were relevant to people with dementia, although it is possible that their local Recovery College did not run a dementia course. This perhaps explains concerns about poor attendance at some dementia courses. Encouragingly, several participants, who were unaware that Recovery College dementia courses existed, expressed interest in exploring this further. The need for joint working between services was emphasised in relation to role clarity in Recovery Colleges, the overlap between clinical support or therapy and Recovery Colleges where the latter focus is on empowerment through education and peer support (Whittle *et al.*, 2019). One implication here is the need for buy-in by all services in developing this provision, the need for clear roles and responsibilities to be established in the co-production of Recovery College dementia courses and discussion to arrive at a palatable name for recovery-orientated courses.

Limitations

The strength of this study is its good response rate with data from across the UK collected in a short time. However, the study has some limitations. Multiple responses from the same trust could have skewed findings related to the number of Recovery College dementia courses currently running. It is possible that some services have not responded to the survey. The survey may also be subject to a response bias. People may be more likely to respond if they feel passionate about Recovery Colleges and may feel the need to positively represent their service rendering the survey vulnerable to a social desirability effect. Furthermore, the qualitative data obtained is likely to lack detail without the exploratory aspect of qualitative interviews. It should be noted that survey respondents have provided retrospective estimates of Recovery College attendee characteristics, as this information is not collected routinely, so its accuracy cannot be verified. Also, this was collected from a limited number of respondents, so may not be generalisable nationally. Conclusions from these data can only be indicative at this stage. Future work will explore how these courses work for people of diverse backgrounds. Finally, responses given may not reflect the experiences and opinions of all participants as they were completed by one person representing a Recovery College course.

Conclusions

To our knowledge, this is the first study exploring the use of Recovery College dementia courses in post-diagnostic dementia support. The results demonstrate the importance of peer-to-peer support and involving people with dementia in the co-production post-diagnostic services to support living positively. Findings highlight the significance of the language used in the discourse around dementia, issues around accessibility and the need for improved integration and partnership working between services.

Acknowledgements

The authors thank the Recovery College and memory services staff from Norfolk and Suffolk NHS Foundation Trust and Humber Teaching NHS Foundation Trust who kindly piloted their survey. Thanks to the wider DiSCOVERY study team: Fiona Poland, Rachael Litherland, Melanie Handley, Geoffrey Wong, Claire Duddy, Charlotte Wheeler, Corinna Hackmann, Claire Mutimer and Robert Kelly. A final thank you to all survey participants who contributed their valuable time and knowledge to the outcomes.

This study was funded by the NIHR [NIHR Health and Social Care Delivery Research (NIHR131676, 2022–2024)]. The views expressed are those of the authors and not necessarily those of the NIHR or the Department of Health and Social Care.

Declaration of interest statement: The authors confirm they have no conflicts of interest to disclose.

References

- Adams, T. (2010), "The applicability of a recovery approach to nursing people with dementia", *International Journal of Nursing Studies*, Vol. 47 No. 5, pp. 626-634.
- Alzheimer's Society (2020), *Worst Hit: Dementia during Coronavirus*, Alzheimer's Society, London.
- Anthony, W.A. (1993), "Recovery from mental illness: the guiding vision of the mental health service system in the 1990s", *Psychosocial Rehabilitation Journal*, Vol. 16 No. 4, pp. 11-23.
- Arblaster, K. and Brennan, S. (2022), *Left Alone to Cope. The Unmet Support Needs after a Dementia Diagnosis*, Alzheimer's Society, London.
- Bengtsson, M. (2016), "How to plan and perform a qualitative study using content analysis", *NursingPlus Open*, Vol. 2, pp. 8-14, doi: [10.1016/j.npls.2016.01.001](https://doi.org/10.1016/j.npls.2016.01.001).

- Bowness, B., Hayes, D., Stepanian, K., Anfossi, A., Taylor, A., Crowther, A., Meddings, S., Osman, Y., Grant, J., Repper, J., Ronaldson, A., Henderson, C. and Slade, M. (2022), "Who uses recovery colleges? Casemix analysis of sociodemographic and clinical characteristics and representativeness of recovery college students", *Psychiatric Rehabilitation Journal*.
- Daley, S., Farina, N., Hughes, L., Armsby, E., Akarsu, N., Pooley, J., Towson, G., Feeney, Y., Tabet, N., Fine, B. and Banerjee, S. (2022), "COVID-19 and the quality of life of people with dementia and their carers – the TFD-C19 study", *Plos One*, Vol. 17 No. 1, p. e0262475.
- Department of Health (2009), "Living well with dementia: a national dementia strategy", *gov.uk*, available at: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/168220/dh_094051.pdf (accessed 24 June 2022).
- Frost, R., Walters, K., Wilcock, J., Robinson, L., Karen, H.D., Knapp, M., Allan, L. and Rait, G. (2021), "Mapping post-diagnostic dementia care in England: an e-survey: managing community care", *Journal of Integrated Care*, Vol. 29 No. 1, pp. 22-36, doi: [10.1108/JICA-02-2020-0005](https://doi.org/10.1108/JICA-02-2020-0005).
- Gavan, J. (2011), "Exploring the usefulness of a recovery-based approach to dementia care nursing", *Contemporary Nurse*, Vol. 39 No. 2, pp. 140-146.
- Giebel, C., Hanna, K., Tetlow, H., Ward, K., Shenton, J., Cannon, J., Butchard, S., Komuravelli, A., Gaughan, A., Eley, R., Rogers, C., Rajagopal, M., Limbert, S., Callaghan, S., Whittington, R., Shaw, L. and Gabbay, M. (2021), "A piece of paper is not the same as having someone to talk to: accessing post-diagnostic dementia care before and since COVID-19 and associated inequalities", *International Journal for Equity in Health*, Vol. 20 No. 1, p. 76, doi: [10.1186/s12939-021-01418-1](https://doi.org/10.1186/s12939-021-01418-1).
- Henderson, C., Slade, M., Winship, G., Bakolis, I., Brewin, J., Repper, K., Bishop, S., Lawrence, V., Bates, P., Taylor, T., Richards, G., Elliott, R. and Emsley, R. (2020), "Research award: recovery Colleges characterisation and testing (RECOLLECT) 2", available at: <https://fundingawards.nihr.ac.uk/award/NIHR200605> (accessed 14 October 2022).
- Hopkins, L., Saraf, S. and Foster, A. (2022), "Establishing recovery colleges in mental healthcare services: a royal commission recommendation", *Australian and New Zealand Journal of Psychiatry*, Vol. 57 No. 1, pp. 17-20, doi: [10.1177/00048674221089230](https://doi.org/10.1177/00048674221089230).
- Kelly, F. and Innes, A. (2014), "Facilitating independence: the benefits of a post-diagnostic support project for people with dementia", *Dementia*, Vol. 15 No. 2, pp. 162-180, doi: [10.1177/1471301214520780](https://doi.org/10.1177/1471301214520780).
- Low, L., Swaffer, K., McGrath, M. and Brodaty, H. (2018), "Do people with early stage dementia experience prescribed disengagement? A systematic review of qualitative studies", *International Psychogeriatrics*, Vol. 30 No. 6, pp. 807-831, doi: [10.1017/S1041610217001545](https://doi.org/10.1017/S1041610217001545).
- Lowen, C., Birt, L. and West, J. (2019), "Recovery colleges and dementia courses - a scoping survey", *Mental Health and Social Inclusion*, Vol. 23 No. 4, pp. 166-172.
- Mielke, M.M. (2018), "Sex and gender differences in Alzheimer's disease dementia", *Psychiatric Times*, Vol. 35 No. 11, pp. 14-17.
- Momentive Inc (2022), "SurveyMonkey", available at: www.surveymonkey.co.uk/
- NHS (2022), "What are integrated care systems?" available at: www.england.nhs.uk/integratedcare/what-is-integrated-care/
- Perkins, R., Repper, J., Rinaldi, M. and Brown, H. (2012), *Recovery Colleges*, Implementing Recovery Through Organisational Change, London.
- Pham, T.M., Peterson, I., Walters, K., Raine, R., Manthorpe, J., Mukadam, N. and Cooper, C. (2018), "Trends in dementia diagnosis rates in UK ethnic groups: analysis of UK primary care data", *Clinical Epidemiology*, Vol. 10 No. 10, pp. 949-960.
- Robinson, E. and Arblaster, K. (2020), "From diagnosis to end of life: the lived experiences of dementia care and support", available at: www.alzheimers.org.uk/sites/default/files/2020-10/pathway_report_full_final.pdf (accessed 23 June 2022).
- Swaffer, K. (2014), "Dementia: stigma, language, and dementia-friendly", *Dementia*, Vol. 13 No. 6, pp. 709-716.
- Swaffer, K. (2015), "Dementia and prescribed disengagement™", *Dementia*, Vol. 14 No. 1, pp. 3-6, doi: [10.1177/1471301214548136](https://doi.org/10.1177/1471301214548136).
- Thériault, J., Lord, M.M., Briand, C., Piat, M. and Meddings, S. (2020), "Recovery colleges after a decade of research: a literature review", *Psychiatric Services*, Vol. 71 No. 9, pp. 928-940, doi: [10.1176/appi.ps.201900352](https://doi.org/10.1176/appi.ps.201900352).
- Thompson, H., Simonds, L., Barr, S. and Meddings, S. (2021), "Recovery colleges: long-term impact and mechanisms of change", *Mental Health and Social Inclusion*, Vol. 25 No. 3, pp. 232-242.

Tsamakis, K., Gadelrab, R., Wilson, M., Bonnici-Mallia, A.M., Hussain, L., Perera, G., Rizos, E., Das-Munshi, J., Stewart, R. and Mueller, C. (2021), "Dementia in people from ethnic minority backgrounds: disability, functioning, and pharmacotherapy at the time of diagnosis", *Journal of the American Medical Directors Association*, Vol. 22 No. 2, pp. 446-452.

Van Horik, J.O., Collins, R., Martyr, A., Henderson, C., Jones, R.W., Knapp, M., Quinn, C., Thom, J.M., Victor, C., Clare, L. On Behalf Of The Ideal Programme Team (2022), "Limited receipt of support services among people with mild-to-moderate dementia: findings from the IDEAL cohort", *International Journal of Geriatric Psychiatry*, Vol. 37 No. 3, doi: [10.1002/gps.5688](https://doi.org/10.1002/gps.5688).

West, J., Birt, L., Wilson, D., Mathie, E. and Poland, F. (2022), "A case study of co-production within a mental health recovery college dementia course: perspectives of a person with dementia, their family supporter and mental health staff", *Frontiers in Rehabilitation Sciences*, Vol. 3, p. 920496, doi: [10.3389/fre.2022.920496](https://doi.org/10.3389/fre.2022.920496).

Whish, R., Huckle, C. and Mason, O. (2022), "What is the impact of recovery colleges on students? A thematic synthesis of qualitative evidence", *The Journal of Mental Health Training, Education and Practice*, Vol. 17 No. 5, pp. 443-454, doi: [10.1108/JMHT-11-2021-0130](https://doi.org/10.1108/JMHT-11-2021-0130).

Whitley, R., Shepherd, G. and Slade, M. (2019), "Recovery colleges as a mental health innovation", *World Psychiatry*, Vol. 18 No. 2, p. 141.

Wolverson, E.L., Clarke, C. and Moniz-Cook, E.D. (2016), "Living positively with dementia: a systematic review and synthesis of the qualitative literature", *Aging & Mental Health*, Vol. 20 No. 7, pp. 676-699.

Author affiliations

Emma Wolverson is based at the Faculty of Health Sciences, University of Hull, Hull, UK.

Leanne Hague and Juniper West are both based at the Department of Research and Development, Norfolk and Suffolk NHS Foundation Trust, Norwich, UK.

Bonnie Teague is based at the Department of Research and Development, Norfolk and Suffolk NHS Foundation Trust, Norwich, UK and Norwich Medical School, University of East Anglia, Norwich, UK.

Christopher Fox is based at the College of Medicine and Health, University of Exeter, Exeter, UK and Department of Older People's Services, Norfolk and Suffolk NHS Foundation Trust, Norwich, UK.

Linda Birt is based at the School of Health Sciences, University of East Anglia, Norwich, UK.

Ruth Mills is based at the Department of Older People's Services, Norfolk and Suffolk NHS Foundation Trust, Norwich, UK.

Tom Rhodes is based at the Department of Research and Development, Norfolk and Suffolk NHS Foundation Trust, Norwich, UK.

Kathryn Sams is based at the Department of Older People's Services, Norfolk and Suffolk NHS Foundation Trust, Norwich, UK.

Esme Moniz-Cook is based at the Faculty of Health Sciences, University of Hull, Hull, UK.

Supplementary materials

Supplementary materials of this article can be found online.

Corresponding author

Emma Wolverson can be contacted at: emma.wolverson@dementiauk.org

For instructions on how to order reprints of this article, please visit our website:

www.emeraldgroupublishing.com/licensing/reprints.htm

Or contact us for further details: permissions@emeraldinsight.com